


- FLUE SYSTEM KIT Ø 125 FOR THIRD BOILER
 - ABGASSYSTEM Ø 125 FÜR EINE DRITTEN THERME
 - KIT SORTIE FUMÉES Ø 125 POUR TROISIEME CHAUDIERE
 - KIT EVACUACIÓN Ø 125 PARA LA TERCERA CALDERA
 - KIT EVACUAÇÃO FUMOS Ø 125 PARA TERCEIRA CALDEIRA
 - SET UITGANG ROOKGAS- SEN Ø 125 VOOR DERDE KETEL
- codice a barre tipo C39 vedi 71071..... ■ KIT SCARICO FUMI Ø 125 PER TERZA CALDAIA
710717701

Formato etichetta a discrezione del Fornitore.
Caratteri ed impostazione grafica, indicativi.
Grafica in colore NERO.

NOTE
- IL GRASSO SILICONICO E IL FOGLIO ISTRUZIONE VENGONO FORNITI ALL'INTERNO DI UNA BUSTA IN PLASTICA
- LE GURNIZIONI VENGONO FORNITE ASSEMBLATE
- CODICE ARTICOLO FORNITORE NATALINI: P3232665

POS.	Q.TA'	CODICE BAXI	COD. ARTICOLO	DESCRIZIONE	MATERIALE
1			34800001	BUSTE IN POLIETILENE 100 x 150	
2			2300xxxx	GRASSO SILICONICO 2,5 gammi	
1	7107239		49200xxxx	FOGLIO ISTRUZIONE CASCATE 50-110	
D	1		3413xxxx	SCATOLA 1020x155x h.220 Int. (N341200011)	
C	2			ETICHETTA IMBALLO	
B	1		522112510	COLLETTORE 110/125 PP BIANCO x1000	PP BIANCO
A	1		422002520	O-RING d.125 EPDM OMOLOGATO	EPDM 70 ABR EN 14241-1 2005 E - Classe T140 W2 K2 I



REVISION	MODIFICATION	ENGINEER	REFERS TO	DATE																					
BAXI S.p.A.		RELEASE STATUS.	ITEM NUMBER.	REVISION.																					
A MEMBER OF BAXI GROUP		ENGINEER. Ceccato	7107177,01	DATE. 03/05/2011																					
© 2009	TITLE. KIT SCAR.FUMI TERZA CALD.D.125	SHEET No. 1 of 1																							
UNITS. mm	SCALE. 1:5	MATERIAL SPECIFICATION.																							
FIRST ANGLE PROJECTION.	TOLERANCE TO EN 22768 - mK UNLESS OTHERWISE SPECIFIED	QUALITY SIGNIFICANCE. [C]=CRITICAL [I]=IMPORTANT																							
<table border="1"> <tr> <td>CLASS m</td> <td>0.5-3</td> <td>3-3</td> <td>3-30</td> <td>30-100</td> <td>100-400</td> <td>400-1m</td> </tr> <tr> <td>LINEAR</td> <td>±0.1</td> <td>±0.1</td> <td>±0.2</td> <td>±0.3</td> <td>±0.5</td> <td>±0.8</td> </tr> <tr> <td>RADI & CHAMFERS</td> <td>±0.4</td> <td>±1</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		CLASS m	0.5-3	3-3	3-30	30-100	100-400	400-1m	LINEAR	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8	RADI & CHAMFERS	±0.4	±1					ITEM CATEGORY (1, 2 OR 3) 3 A3		
CLASS m	0.5-3	3-3	3-30	30-100	100-400	400-1m																			
LINEAR	±0.1	±0.1	±0.2	±0.3	±0.5	±0.8																			
RADI & CHAMFERS	±0.4	±1																							